

Self-Leveling Sealant



Leak-proof performance and easy installation let you "kick the buckets".

Think of the problems with traditional metal roofs. Metal roofs traditionally rust, leak at the seams, and incur damage due to hail. Metal roofs also provide little protection against seasonal variations in temperature. Some of the associated problems include formation of puddles and black streaks running down sidewalls.

Reliability That's Revolutionary.....The Royal Roof Membrane provides outstanding durability and attractive appearance year after year.

Color Technology.....Royal Roof technology is the leader in keeping color to match. Color won't chip or wear off. The clean, smooth look of Royal Roof looks aesthetically appealing to RVs and mobile homes alike.

Fast, Safe Installation.....With easy installation of Royal Roof, less than a day for a mobile home, for instance, your schedule is hardly disrupted.

Roof Kits Available by Special Order

Accessories

Rubber Roof Patch Kit
7 x 3 rubber, 1 quart adhesive, 1 tube caulk and instructions

| | |
|---------|------------------------|
| 42-0200 | Repair Kit |
| 42-0201 | White Caulking - 11oz. |
| 42-0202 | Beige Caulking - 11oz. |
| 42-0203 | Gray Caulking - 11oz. |
| 42-0205 | Rubber Adhesive |



Self-Leveling. Ideal for flat surface applications such as roofs or wherever a tough, flowable sealant is required.

| | |
|---------|------------------------|
| 42-0201 | White Caulking - 11 oz |
| 42-0202 | Beige Caulking - 11 oz |
| 42-0203 | Gray Caulking - 11 oz |

20 / 20 Sealant



Dyco's premium elastic, synthetic rubber brush on caulk. May be applied on fiberglass, metals, aluminum, urethane foam and asphaltic roof coatings. Colors white or clear.

| | |
|---------|------------------------|
| 43-1015 | 20 / 20 Quart - White |
| 43-2025 | 20 / 20 Gallon - White |
| 43-2026 | 20 / 20 Gallon - Clear |

STA-PUT Adhesive



A multi-purpose spray adhesive that can be used effectively on virtually any material or surface safely, and offers a multitude of advantages including water resistance, high tack, quick grab, it sets up in two minutes or less and has unlimited open time, dries clear and maintains its resilience indefinitely, thus being completely resistant to the adverse effects of expansion and contraction. STA-PUT is endorsed by several major manufacturers of mobile homes and plastic tub wall systems within the manufactured housing and RV industries.

| | |
|---------|----------------------------|
| 99-0101 | Hi Temp - 15 oz |
| 99-0098 | Sta-Put II f/ Foam - 15 oz |
| 99-0099 | Sta-Put Std. - 15 oz |
| 99-0102 | Adhesive Remover |

White Glue



Perfect for home, auto, garage. 1 oz. tube. Carded.

| | |
|---------|------|
| 99-4137 | Glue |
|---------|------|

20 / 20 Seam Seal Caulk



Same premium product as the can only available in a 11 oz. tube for more detailed work. Clear color is non yellowing and paintable. Also available in white and ivory.

- | | |
|---------|----------------------|
| 43-1014 | 20 / 20 Clear - Tube |
| 43-1016 | 20 / 20 White - Tube |
| 43-1017 | 20 / 20 Ivory - Tube |

C-10 Flow Seal



A self leveling caulk made with Dupont Hypalon Rubber for the RV Industry. Will not surface harden or crack, dries fast and can be painted. Use horizontal only.

- | | |
|---------|-----------------------|
| 43-1013 | C-10 Flow Seal, White |
| 43-1018 | C 10 Flow Seal IV |
| 43-1019 | C 10 Flow Seal GR |

Silicone Sealer - 3 Ounce



Consumer sized 3 ounce tubes of sealer handles tub or tile repairs, around window, etc. Display carded.

- | | |
|---------|--------|
| 99-7775 | Clear |
| 99-7776 | White |
| 99-7777 | Almond |

Silicone - 10 Ounce



Permanently resilient caulking in 10.3 ounce cartridges. Top quality for sealing tubs, joints, surrounds, sinks, etc. Comes in black, white, clear, almond, tan and bronze.

- | | |
|---------|--------|
| 99-7772 | Black |
| 99-7773 | White |
| 99-7774 | Clear |
| 99-7779 | Tan |
| 99-7780 | Bronze |
| 99-8366 | Almond |

Caulk Gun



Takes standard 10 to 13 ounce caulk cartridges. Ratchet action plunger releases when handle turned sideways.

99-8503

Caulk Gun

Aluminum Asphalt Roof Coating



ELIXIR INDUSTRIES

This coating seals and protects roofs from 80% of the ultraviolet sun rays. Reduces inside room temperature up to 15%. Formulated to protect composition, concrete, metal, and aluminum roofs, masonry and metal side walls, barn and silo roofs and walls.

| | |
|---------|-------------------------------|
| 43-4812 | 1 Gallon PLAS-T-COTE Aluminum |
| 43-4844 | 3 Gallon PLAS-T-COTE Aluminum |
| 43-4864 | 5 Gallon PLAS-T-COTE Aluminum |

Plas-T-Cote Black Glass Fibric




ELIXIR INDUSTRIES

Reinforcing Fabric for patching holes and cracks 1/4" wider or more.

43-5001

4" x 50 ft

Plas-T-Cote 100% Elastomeric White Roof Coating




ELIXIR INDUSTRIES

For use over roof shingles, galvanized steel, concrete, wood, polyurethane foam, and bitumas built up roofs. Use for a reflective and protective coating. Has outstanding exterior durability, and is UV resistant. Expands and contracts with roof. Resists cracking and withstands impact. It is non-polluting and non-toxic.

| | |
|---------|---------------------|
| 43-5002 | White Fabric - Roll |
| 43-9032 | Quart |
| 43-9128 | Gallon |
| 43-9640 | 5 Gallon |

Plas-T-Cote Rubber Roof Coating



Use over RV rubber roofs, at seams and tears, and to seal vents, air conditioners, etc. Has outstanding exterior durability and high adhesion to rubber. It is UV resistant, and expands & contracts with roof.

43-6128 Gallon

Plas-T-Cote White Plastic Cement



43-5014 11 oz

Black Repair Kit



43-5200 Black Repair Kit

Plas-T-Coat White Alkyd Roof Coating



Plas-T-Cote Alkyd Roof Coating was designed primarily for the Manufactured Housing and Recreational Vehicle Industries. Ready for immediate use. No mixing required. Stays flexible, contracts and expands with roof seams. New formula assures a longer life and greater adhesion. Has excellent acoustical, insulating and protective qualities. Being non-asphalt, no streaking occurs on the sides of the coat. White


43-7032 Quart
 43-7128 Gallon
 43-7640 5 Gallon

2 x 42 Black Patch



43-5029 2 x 42 Black Patch

White Repair Kit



43-5100 White Repair Kit

Bathtub Repair Kit



SYON

Fast, easy and permanent. Repairs all types of plastics, fiberglass and even enamel fixtures. Each kit comes complete for even the most demanding repair. 1 kit per pack.

| | |
|---------|--------|
| 99-5889 | Almond |
| 99-5890 | White |

Spray Paint



KRYLON

Quick drying durable high gloss coating for indoor/outdoor wood, metal and most plastics. Now with Rustop - checks rust. 10 oz.

| | |
|---------|-----------------|
| 43-0512 | Flat Black |
| 43-0518 | Lt. Gray Primer |
| 43-0601 | Gloss White |
| 43-0602 | Gloss Black |
| 43-0657 | Aluminum |

WD - 40 Lubricant



WD-40 is a specially formulated, silicone free, organic material which displaces moisture, prevents corrosion, penetrates and serves as a light lubricant. Will not harm plastic or rubber while lubricating bearing surfaces and freeing frozen fasteners, hinges, bolts, etc.

| | |
|---------|---------------|
| 99-2645 | Spray - 12 oz |
|---------|---------------|

Spray Paint



KRYLON

Quality paint from Borden. Dries hard, lasts long, and gives excellent protection. Resistant to running, sagging, or 'orange-peeling'. 12oz.

| | |
|---------|---------------|
| 99-3304 | Chrome |
| 99-3390 | Brown Primer |
| 99-3391 | Almond |
| 99-3396 | Flat Black |
| 99-3397 | Gloss Black |
| 99-3398 | Flat White |
| 99-3399 | Gloss White |
| 99-3401 | Antique Ivory |
| 99-3402 | Beige |
| 99-3403 | Silver |
| 99-3404 | Ivory |

Paint Brush



PRIMEX TOOL

3" natural bristle paint brush.

43-6006

3"

Belly Tape



SYLEGRESI

99-6620

Belly Tape

Gray Butyl Tape



EILIXIR INDUSTRIES

A pliable, tacky adhesive and sealing composition in an extruded, ready-to-use form. It has permanent resilience and elongation characteristics with excellent adhesion to all metals, glass, plastics, concrete and porous surfaces. 1/8" thick in 30 foot rolls.

43-2100

3/4" Gray Butyl Tape

43-2101

1" Gray Butyl Tape

Paint Brush



PRIMEX TOOL

Economy paint brush for applying sealant and paints. Short bristles for sealers on caulking materials. Long bristles for paints

43-6001

1 1/2" Short Bristle

43-6002

2" Short Bristle

43-6003

3" Short Bristle

Putty Tape



EILIXIR INDUSTRIES

Non-hardening putty tape used in most RV and mobile home situations requiring a leakproof seal. For door frames, moldings, windows, vents, etc. apply to one surface, peel paper backing, then join. 1/8" thick in 30 foot rolls grey in color.

43-1075

3/4" Wide Caulk Tape

43-1100

1" Wide Caulk Tape

Sheeting



- | | |
|---------|-----------------------------------|
| 99-8120 | 14' X 300' 4 ML White Sheeting |
| 99-8146 | 14' X 100' 6 ML Black Sheeting |


T & P Valve



Protect yourself from excessive temperatures and pressures in your water heater with A G A certified temperature and pressure relief valve. All valves have pressure settings factor set at 150 PSI. Corrosion resistant: all metal parts exposed to water are copper or stainless steel allows. The all brass valve body has no gaskets - no leaks - engineered simplicity of design. Probe epoxy coated to prevent corrosion buildup. 4" actuator for installation in hot outlet line.

- | | |
|-------|--------------------|
| 10421 | 1/2", Self-Closing |
| 10473 | 3/4", Self-Closing |

Flex-Mend



This permanent, waterproof and strong belly-closure material is great for repairing tears in the bottom closure material of mobile homes. It is unaffected by cold and is quick to apply and has a neat appearance.

- | | |
|---------|-----------|
| 99-8105 | 28" x 25' |
| 99-8106 | 4" x 180' |

Thermocouples - Universal



Available in 12", 18", 24", 30", and 36" lengths. Includes adapters to replace 95% of original thermocouples in use. Display card.

- | | |
|-------|------------------|
| 09253 | 12" Thermocouple |
| 09273 | 18" Thermocouple |
| 09293 | 24" Thermocouple |
| 09313 | 30" Thermocouple |

Thermostat



CAMCO

07843

Thermostat

Water Heater Element Wrench



CAMCO

Fits standard 1-1/2" nut on screw-in elements. Three inches long to reach inside casing. Takes a screwdriver through side holes to apply torque for tightening. Display packaged from Camco.

09942

Element Wrench

Water Heater Element



CAMCO

05741

Open Coil (Dry) Element
1500W 120V

Water Heater Repair Parts



CAMCO


02343

Screw-In Element
4500W 240V

02923

Screw-In Lime Life
Element 4500W 240V

Electric Water Heater Element Kit



CAMCO

02953

Screw-In Lime Life
Ripple 4500w 240V

Heavy Duty Oil Stabilizer



A genuine petroleum product. Eliminates dry stats. Prevents metal to metal contact. Forty years of research for today's higher revving, hotter running engines. Keeps motor oil from breaking down. Frees valves, quiet shifters and increases horsepower.

58-0100

Quart

Multi-Purpose EP Grease



The ultimate in multi-purpose grease, providing stability and performance for agriculture, industry, marine automotive & fleet applications. Suitable for all types of bearings: ball or roller - sealed or open - truck & automotive wheel bearings - boat trailer bearings.

58-0101

Multi-Purpose

Replacement Vent Motors



General replacement for RV and mobile home sidewall, range hood and roof vent fans.

- | | |
|---------|-------------------------------------|
| 23-3200 | 12V Motor for Bathroom Vent |
| 23-3217 | 12V Closed Case Roof Vent |
| 99-3216 | 110V Open Coil Moto Hd Sidewall Fan |
| 99-8744 | 110V Open Coil Motor Sidewall Fan |

Ceiling Fan



23-2262

Bath Fan, No Light, 7 Dia Vertical Exhaust

Ceiling Fan w/ Light



23-2244

Bath Fan w/ Light, 7" dia Vertical Exhaust

Sidewall Fan



Fits 9-1/2" by 9-1/2" opening. Common in mobile home and RV kitchens. Spring loaded cover, with automatic switch.

- | | |
|---------|-------------------|
| 23-5083 | 110V Sidewall Fan |
| 23-5084 | Chrome Grill |

Replacement Fan Blades



VENT

Two styles of hubs. 1/8" diameter fits flat side shaft and 3/16" diameter fits round shafts

| | |
|---------|---|
| 23-1100 | 6 1/2" Diameter 3 Blades, 3/16" Hub |
| 23-1101 | 6 7/8" Diameter 3 Blades, 3/16" Hub |
| 23-1103 | 7" Diameter 3 Blades, 1/8" Hub |
| 23-1104 | 6" Diameter 6 Blades, 1/8" Hub |
| 23-1108 | 5 3/8" Diameter 1/8" Hub, Multi-Vane |
| 23-8701 | 7" Diameter 3 Blades, 3/16" Hub |
| 23-3201 | 6" Diameter 6 Blades |

Range Hood



VENT

| | |
|---------|--|
| 23-4220 | 42" - Almond - Vertical 5" Dia. Round Outlet |
| 23-4221 | 42" - White - Vertical 5" Dia. Round Outlet |
| 23-4224 | 30" - White 110V - Vertical 5" Dia. Round Outlet |
| 23-4225 | 30" Almond 110V - Vertical 5" Dia. Round Outlet |

Range Hood



VENT

| | |
|---------|--|
| 23-4222 | 30" - White 110V Combination 3" x 8.5" Horizontal or Vertical Outlet |
| 23-4223 | 30" - Almond 110V Combination 3" x 8.5" Horizontal or Vertical Outlet |
| 23-4228 | 42" - Almond - Combination 3" x 8.5" Horizontal or Vertical Outlet |
| 23-4229 | 42" - White - Combination 3" x 8.5" Horizontal or Vertical Outlet |